

O-RINGE LAGERLISTE**(WEITERE ABMESSUNGEN AUF ANFRAGE)**

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
1.02	NBR	1.78
1.07	NBR	1.27
1.42	NBR	1.52
1.50	NBR	1.0 / 1.5 / 2.0
1.60	EPDM	1.0
1.70	NBR	1.0
1.78	NBR	1.78
1.78	VITON	1.78
1.78	EPDM	1.02
2.00	NBR	1.0 / 1.5
2.00	VITON	1.0 / 1.5
2.00	EPDM	1.5
2.20	NBR	1.5
2.35	NBR	1.0
2.40	NBR	1.9
2.50	NBR	1.0 / 1.2 / 1.3 / 1.5 / 1.6
2.50	VITON	1.0
2.50	EPDM	1.0
2.57	NBR	1.78
2.57	VITON	1.78
2.60	NBR	1.9
2.80	NBR	1.6
2.84	NBR	2.62
2.90	NBR	1.78
2.90	NBR 90 SHORE	1.78
2.90	VITON	1.78
2.90	EPDM	1.78
3.00	NBR	1.0 / 1.5 / 2.0
3.00	VITON	1.0 / 1.5
3.00	EPDM	1.0 / 1.5
3.00	SILIKON	1.0
3.10	NBR	1.6
3.10	EPDM	1.6
3.17	NBR	1.78
3.30	NBR	1.5 / 2.4
3.40	NBR	1.9
3.50	NBR	0.9 / 1.2 / 1.5 / 1.9 / 2.0
3.50	EPDM	1.0
3.63	NBR	2.62
3.63	VITON	2.62
3.68	NBR	1.78
3.68	VITON	1.78
3.68	EPDM	1.78
4.00	NBR	1.0 / 1.2 / 1.5 / 1.75 / 2.0 / 2.2 / 2.5 / 3.0
4.00	VITON	1.0 / 1.5 / 2.0 / 2.2
4.00	EPDM	1.0 / 1.5 / 2.0
4.00	SILIKON	2.0
4.10	NBR	1.6
4.20	NBR	1.9
4.30	NBR	2.4
4.40	NBR	1.1
4.42	NBR	2.62
4.42	VITON	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
4.48	NBR	1.78
4.48	VITON	1.78
4.48	EPDM	1.78
4.50	NBR	1.5 / 1.8
4.60	NBR	2.0
4.76	NBR	1.78
4.90	NBR	1.9
5.00	NBR	1.0 / 1.2 / 1.5 / 1.7 / 2.0 / 2.5 / 3.0 / 5.0
5.00	NBR 90 SHORE	1.5 / 2.5
5.00	VITON	1.0 / 1.5 / 2.0 / 2.5
5.00	EPDM	1.0 / 1.5
5.10	NBR	1.6
5.23	NBR	2.62
5.23	VITON	2.62
5.28	NBR	1.78
5.28	NBR 90 SHORE	1.78
5.28	VITON	1.78
5.28	EPDM	1.78
5.30	NBR	2.4
5.30	EPDM	2.4
5.50	NBR	1.0 / 1.5 / 3.0
5.50	EPDM	1.5
5.70	NBR	1.9
5.94	NBR	3.53
6.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 3.5
6.00	NBR 90 SHORE	2.0
6.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0
6.00	EPDM	1.0 / 2.0 / 2.5 / 3.0
6.02	NBR	2.62
6.02	SILIKON	2.62
6.07	NBR	1.78
6.07	VITON	1.78
6.07	EPDM	1.78
6.10	NBR	1.6
6.30	NBR	1.5 / 2.4
6.36	NBR	1.58 / 1.78
6.40	NBR	1.9
6.40	NBR 90 SHORE	1.9
6.50	NBR	1.5
6.75	NBR	1.78
6.75	VITON	1.78
6.75	EPDM	1.78
7.00	NBR	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0
7.00	VITON	1.5 / 2.0 / 3.0
7.00	SILIKON	2.0
7.10	NBR	1.6
7.10	VITON	1.6
7.20	NBR	1.9
7.30	NBR	2.4
7.30	EPDM	2.4
7.50	NBR	0.8 / 1.5 / 2.0 / 2.5 / 3.0
7.50	VITON	1.5
7.50	EPDM	1.5
7.52	NBR	3.53
7.59	VITON	2.62
7.59	EPDM	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
7.65	NBR	1.78 / 2.62
7.65	NBR 90 SHORE	1.78
7.65	VITON	1.78
7.65	EPDM	1.78
7.95	NBR	1.78
7.95	VITON	1.78
8.00	NBR	1.0 / 1.5 / 1.6 / 1.9 / 2.0 / 2.2 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
8.00	NBR 90 SHORE	1.5 / 2.0
8.00	VITON	1.5 / 2.0 / 2.5 / 3.0 / 3.5
8.00	EPDM	2.0 / 2.5
8.10	NBR	1.6
8.30	NBR	2.4
8.30	VITON	2.4
8.30	EPDM	2.4
8.50	NBR	1.0 / 1.5 / 3.5
8.50	VITON	1.5
8.73	NBR	1.78
8.73	VITON	1.78
8.73	EPDM	1.78
8.90	NBR	1.25 / 1.9 / 2.7
8.90	VITON	2.7
9.00	NBR	0.8 / 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5
9.00	VITON	1.0 / 2.0 / 3.0
9.00	SILIKON	2.0
9.00	EPDM	1.5 / 3.0
9.10	NBR	1.6
9.12	VITON	3.53
9.19	NBR	2.62
9.19	VITON	2.62
9.19	EPDM	2.62
9.25	NBR	1.78
9.25	VITON	1.78
9.25	EPDM	1.78
9.30	NBR	2.4
9.30	VITON	2.4
9.50	NBR	1.6 / 2.0 / 2.5 / 3.0 / 3.5
9.50	VITON	2.0
9.66	NBR	1.78
9.92	NBR	2.62
9.92	SILIKON	2.62
10.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 6.0
10.00	NBR 90 SHORE	1.0 / 1.5 / 2.0 / 2.5
10.00	VITON	1.0 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0
10.00	SILIKON	1.0 / 3.0
10.00	EPDM	2.0 / 2.5
10.10	NBR	1.6
10.30	NBR	2.4
10.30	VITON	2.4
10.50	NBR	2.0 / 2.7 / 3.0
10.69	EPDM	3.53

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
10.78	NBR	2.62
10.78	VITON	2.62
10.78	EPDM	2.62
10.82	NBR	1.78
10.82	NBR 90 SHORE	1.78
10.82	VITON	1.78
10.82	EPDM	1.78
11.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 4.0 / 5.0
11.00	NBR 90 SHORE	2.0
11.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0
11.00	EPDM	2.0
11.11	NBR	1.78
11.11	NBR 90 SHORE	1.78
11.11	VITON	1.78
11.11	EPDM	1.78
11.30	NBR	2.4
11.30	VITON	2.4
11.50	NBR	1.5
11.50	VITON	1.5
11.80	EPDM	2.0
11.91	NBR	2.62
11.91	VITON	2.62
11.91	EPDM	2.62
12.00	NBR	1.0 / 1.5 / 1.7 / 2.0 / 2.5 / 3.0 / 3.2 / 3.5 / 4.0 / 4.5 / 5.0
12.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5
12.00	SILIKON	1.0 / 1.5 / 2.0
12.00	EPDM	2.0 / 3.0
12.10	NBR	1.6 / 2.7
12.10	VITON	2.7
12.29	NBR	3.53
12.29	VITON	3.53
12.30	NBR	2.4
12.37	NBR	2.62
12.37	VITON	2.62
12.42	NBR	1.78
12.42	VITON	1.78
12.50	NBR	1.5 / 2.5
12.50	VITON	2.0
13.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 6.0
13.00	VITON	1.0 / 2.0 / 2.5 / 3.0 / 4.5
13.00	SILIKON	1.0
13.00	EPDM	1.5 / 2.5
13.10	NBR	1.6 / 2.62
13.10	VITON	1.6
13.10	SILIKON	2.62
13.10	EPDM	2.62
13.30	NBR	2.4
13.60	NBR	2.7
13.60	VITON	2.4
13.85	VITON	3.53
13.94	NBR	2.62
13.94	VITON	2.62
13.94	SILIKON	2.62
13.95	EPDM	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
14.00	NBR	1.0 / 1.5 / 1.6 / 1.78 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
14.00	NBR 90 SHORE	2.5
14.00	VITON	1.0 / 1.78 / 2.0 / 2.5 / 3.0 / 5.0
14.00	EPDM	3.0
14.20	NBR	2.6
14.20	VITON	2.6
14.30	NBR	2.4
14.50	NBR	1.8 / 3.0
15.00	NBR	1.0 / 1.5 / 2.0 / 2.25 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
15.00	NBR 90 SHORE	2.5
15.00	VITON	1.0 / 1.5 / 2.0 / 2.25 / 2.5 / 3.0 / 4.0 / 5.0
15.00	EPDM	1.5 / 3.0
15.08	NBR	2.62
15.08	VITON	2.62
15.10	NBR	1.6 / 2.7
15.10	VITON	1.6
15.30	NBR	2.4
15.30	NBR 90 SHORE	2.4
15.30	EPDM	2.4
15.40	NBR	1.3 / 1.5
15.47	VITON	3.53
15.54	NBR	2.62
15.54	NBR 90 SHORE	2.62
15.54	VITON	2.62
15.60	NBR	1.78 / 2.4
15.60	VITON	1.78
15.60	SILIKON	1.78
15.88	NBR	2.62
15.88	VITON	2.62
16.00	NBR	1.0 / 1.25 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 5.5 / 10.0
16.00	NBR 90 SHORE	2.5 / 4.0
16.00	VITON	5.0
16.00	EPDM	1.0 / 2.0 / 2.5
16.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0
16.10	NBR	1.6
16.20	NBR	3.0
16.30	NBR	2.4
16.30	VITON	2.4
16.30	EPDM	2.4
16.90	NBR	2.7
17.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5
17.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
17.00	EPDM	1.5
17.00	SILIKON	2.0 / 3.0
17.10	NBR	1.6
17.12	NBR	2.62
17.12	VITON	2.62
17.17	NBR	1.78
17.17	VITON	1.78
17.17	EPDM	1.78
17.20	NBR	3.0
17.30	NBR	2.4
17.30	NBR 90 SHORE	2.4

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
17.50	NBR	2.5
17.86	NBR	2.62
17.86	VITON	2.62
18.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0
18.00	NBR 90 SHORE	2.5
18.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
18.00	EPDM	2.0 / 2.5 / 3.0
18.10	NBR	1.6
18.30	NBR	2.4
18.40	NBR	2.7
18.50	NBR	2.0
18.64	NBR	3.53
18.64	VITON	3.53
18.64	SILIKON	3.53
18.64	EPDM	3.53
18.72	NBR	2.62
18.72	NBR 90 SHORE	2.62
18.72	VITON	2.62
18.72	EPDM	2.62
18.77	NBR	1.78
18.77	VITON	1.78
19.00	NBR	1.0 / 1.5 / 2.0 / 2.4 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
19.00	NBR 90 SHORE	3.0
19.00	VITON	1.5 / 2.0 / 2.5 / 3.5
19.00	EPDM	1.5
19.00	SILIKON	2.0
19.10	NBR	1.6
19.20	NBR	3.0
19.30	NBR	2.4
19.30	VITON	2.4
20.00	NBR	1.0 / 1.3 / 1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 3.5 / 3.6 / 4.0 / 4.5 / 5.0 / 6.0
20.00	NBR 90 SHORE	3.5
20.00	VITON	1.0 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
20.00	SILIKON	3.0
20.00	EPDM	1.5 / 2.0 / 3.0 / 4.0
20.10	NBR	1.6
20.20	NBR	3.0
20.20	VITON	3.0
20.22	NBR	3.53
20.22	VITON	3.53
20.22	EPDM	3.53
20.24	NBR 90 SHORE	2.62
20.24	VITON	2.62
20.29	NBR	2.62
20.29	EPDM	2.62
20.35	NBR	1.78
20.35	VITON	1.78
20.35	EPDM	1.78
20.50	NBR	3.2
20.63	NBR	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
21.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
21.00	VITON	1.5 / 2.5 / 3.0 / 5.0
21.10	NBR	1.6
21.20	NBR	3.55
21.30	NBR	2.4
21.50	NBR	1.5
21.59	NBR	5.33
21.82	NBR	3.53
21.82	NBR 90 SHORE	3.53
21.82	VITON	3.53
21.82	EPDM	3.53
21.89	NBR	2.62
21.89	VITON	2.62
21.95	NBR	1.78
21.95	VITON	1.78
22.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 5.5 / 6.0
22.00	NBR 90 SHORE	2.0 / 3.0
22.00	VITON	1.0 / 1.5 / 2.0 / 2.5 / 4.0 / 5.5
22.00	SILIKON	1.5 / 2.0 / 5.0
22.00	EPDM	2.5 / 3.0
22.20	NBR	3.0
22.20	VITON	3.0
22.22	NBR	2.62
22.22	VITON	2.62
22.22	EPDM	2.62
22.30	NBR	2.4
22.30	VITON	2.4
23.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
23.00	VITON	2.0 / 2.5 / 3.0 / 4.0
23.16	NBR	5.33
23.30	NBR	2.4
23.39	NBR	3.53
23.39	VITON	3.53
23.39	EPDM	3.53
23.40	NBR 90 SHORE	3.53
23.47	NBR	2.62
23.47	VITON	2.62
23.47	EPDM	2.62
23.52	NBR	1.78
23.52	VITON	1.78
23.52	EPDM	1.78
23.81	NBR	2.62
24.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
24.00	NBR 90 SHORE	2.5
24.00	VITON	1.0 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
24.00	EPDM	2.0 / 2.5
24.20	NBR	3.0
24.20	NBR 90 SHORE	3.0
24.20	VITON	3.0
24.20	EPDM	3.0
24.50	NBR	3.65

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
24.99	NBR	3.53
24.99	VITON	3.53
24.99	EPDM	3.53
25.00	NBR	1.5 / 2.0 / 2.2 / 2.5 / 3.0 / 3.2 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0 / 8.0
25.00	NBR 90 SHORE	2.0
25.00	VITON	1.0 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
25.00	EPDM	2.0 / 3.0
25.07	NBR	2.62
25.07	VITON	2.62
25.07	EPDM	2.62
25.10	NBR	1.6
25.12	NBR	1.78
25.12	VITON	1.78
25.12	EPDM	1.78
25.30	NBR	2.4
25.30	NBR 90 SHORE	2.4
25.80	NBR	3.53
25.80	NBR 90 SHORE	3.53
26.00	NBR	1.5 / 2.5 / 3.0 / 3.5 / 4.0
26.00	VITON	3.0 / 3.5
26.20	NBR	3.0 / 3.6
26.20	VITON	3.0
26.34	NBR	5.33
26.58	NBR	3.53
26.58	VITON	3.53
26.58	EPDM	3.53
26.64	NBR	2.62
26.64	EPDM	2.62
26.65	VITON	2.62
26.70	NBR	1.78
26.70	VITON	1.78
26.70	EPDM	1.78
27.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.2 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 6.5
27.00	VITON	1.5 / 2.0 / 2.5 / 3.0
27.00	EPDM	2.0
27.10	NBR	1.6
27.30	NBR	2.4
27.40	NBR	3.53
27.50	NBR	1.5
27.50	EPDM	3.0
27.93	NBR	5.33
28.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.2 / 3.5 / 4.0 / 5.0
28.00	VITON	1.5 / 3.0 / 4.0 / 5.0
28.00	SILIKON	2.0 / 3.5
28.17	NBR	3.53
28.17	NBR 90 SHORE	3.53
28.17	VITON	3.53
28.17	EPDM	3.53
28.25	NBR	2.62
28.25	VITON	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
28.30	NBR	1.78
28.30	VITON	1.78
28.30	EPDM	1.78
29.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
29.00	VITON	3.0 / 3.5
29.20	NBR	3.0
29.51	NBR	5.33
29.60	EPDM	2.4
29.75	NBR	3.53
29.75	NBR 90 SHORE	3.53
29.75	VITON	3.53
29.82	NBR	2.62
29.82	VITON	2.62
29.82	EPDM	2.62
29.87	NBR	1.78
29.87	VITON	1.78
29.87	EPDM	1.78
30.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 2.8 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 7.0 / 10.0
30.00	VITON	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
30.00	SILIKON	1.0 / 5.0
30.00	EPDM	1.5 / 3.0 / 3.5
30.20	NBR	3.0
30.20	VITON	3.0
30.30	NBR	2.4
31.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
31.00	EPDM	2.5
31.12	NBR	5.33
31.34	NBR	3.53
31.34	VITON	3.53
31.34	EPDM	3.53
31.42	NBR	2.62
31.42	VITON	2.62
31.42	EPDM	2.62
31.47	NBR	1.78
31.47	VITON	1.78
32.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 8.0
32.00	VITON	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 6.0
32.20	NBR	3.0
32.70	NBR	1.3
32.92	NBR	3.53
32.92	NBR 90 SHORE	3.53
32.92	VITON	3.53
32.92	EPDM	3.53
32.99	NBR	2.62
32.99	VITON	2.62
33.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 5.0
33.00	NBR 90 SHORE	2.0
33.00	VITON	4.0
33.00	EPDM	5.0
33.05	NBR	1.78
33.30	NBR	2.4
33.50	VITON	2.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
34.00	NBR	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 6.0
34.00	NBR 90 SHORE	3.0
34.00	VITON	2.0 / 2.5 / 3.0 / 4.0
34.00	EPDM	4.0
34.20	NBR	3.0
34.20	VITON	3.0
34.20	EPDM	3.0
34.29	NBR	5.33
34.52	NBR	3.53
34.52	VITON	3.53
34.52	EPDM	3.53
34.59	NBR	2.62
34.59	NBR 90 SHORE	2.62
34.59	EPDM	2.62
34.59	VITON	2.62
34.65	NBR	1.78
34.65	VITON	1.78
35.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.2 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 7.0
35.00	NBR 90 SHORE	4.0
35.00	VITON	1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 5.0
35.00	SILIKON	1.5
35.00	EPDM	5.0
35.10	NBR	1.6
35.50	VITON	4.0
36.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
36.00	VITON	2.0
36.00	EPDM	3.0
36.00	SILIKON 50 SHORE	1.5
36.09	NBR	3.53
36.09	NBR 90 SHORE	3.53
36.09	EPDM	3.53
36.10	VITON	3.53
36.17	NBR	2.62
36.17	VITON	2.62
36.50	NBR	1.0 / 3.0
37.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
37.00	NBR 90 SHORE	3.0
37.00	VITON	1.5 / 3.0 / 4.0
37.10	NBR	1.6
37.10	VITON	1.6
37.20	NBR	3.0 / 5.7
37.47	NBR	5.33
37.47	VITON	5.33
37.47	EPDM	5.33
37.69	NBR	3.53
37.69	VITON	3.53
37.69	EPDM	3.53
37.69	SILIKON	3.53
37.77	NBR	2.62
37.77	VITON	2.62
37.82	NBR	1.78
37.82	VITON	1.78
38.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0
38.00	VITON	3.0 / 4.0
38.00	EPDM	4.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
39.00	NBR	3.0 / 4.0 / 5.0
39.00	NBR 90 SHORE	3.0
39.00	VITON	3.0 / 3.5
39.00	EPDM	2.0
39.00	SILIKON	3.0
39.20	NBR	3.0 / 5.7
39.20	VITON	5.7
39.34	NBR	2.62
39.34	VITON	2.62
39.34	EPDM	2.62
39.40	VITON	4.0
39.45	NBR	1.78
39.60	EPDM	2.4
39.69	NBR	3.53
39.69	VITON	3.53
40.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 5.33 / 6.0 / 7.0 / 8.0
40.00	NBR 90 SHORE	3.0
40.00	VITON	1.5 / 2.0 / 3.0 / 4.0 / 5.0
40.00	SILIKON	2.0
40.00	EPDM	2.5 / 3.0
40.20	NBR	3.0
40.64	VITON	5.33
40.65	NBR	5.33
40.65	EPDM	5.33
40.87	NBR	3.53
40.87	VITON	3.53
40.87	EPDM	3.53
40.95	NBR	2.62
40.95	VITON	2.62
41.00	NBR	1.78 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
41.00	VITON	1.78 / 2.5 / 3.0 / 4.0 / 5.0
41.28	NBR	3.53
41.28	VITON	3.53
42.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 9.0
42.00	NBR 90 SHORE	3.0
42.00	VITON	1.5 / 3.0 / 5.0
42.20	EPDM	3.0
42.52	NBR	2.62
42.52	NBR 90 SHORE	2.62
42.52	EPDM	2.62
42.52	VITON	2.62
42.86	NBR	3.53
42.86	VITON	3.53
42.86	EPDM	3.53
43.00	NBR	1.5 / 2.0 / 3.0 / 3.5 / 4.0 / 5.5
43.00	VITON	2.0 / 3.0 / 5.0
43.81	NBR	5.33
43.81	VITON	5.33
44.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
44.00	VITON	3.5 / 4.0
44.00	EPDM	4.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
44.04	NBR	3.53
44.04	NBR 90 SHORE	3.53
44.04	VITON	3.53
44.12	NBR	2.62
44.12	EPDM	2.62
44.12	VITON	2.62
44.17	NBR	1.78
44.17	VITON	1.78
44.17	EPDM	1.78
44.20	NBR	3.0 / 5.7
44.45	NBR	3.53
44.45	VITON	3.53
44.45	EPDM	3.53
45.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0
45.00	VITON	2.0 / 2.5 / 3.0 / 4.0 / 5.0
45.00	EPDM	3.0 / 4.0 / 5.0
45.00	SILIKON	5.0
45.69	NBR	2.62
45.69	VITON	2.62
45.84	NBR	1.78
46.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 6.0
46.00	VITON	2.0 / 2.5 / 3.0 / 3.5
46.04	NBR	3.53
46.04	VITON	3.53
47.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 5.33 / 6.0
47.00	VITON	2.5 / 5.0 / 5.33
47.22	NBR	3.53
47.22	VITON	3.53
47.22	EPDM	3.53
47.29	NBR	2.62
47.29	VITON	2.62
47.35	NBR	1.78
47.35	VITON	1.78
47.39	EPDM	1.78
47.63	NBR	3.53
47.63	VITON	3.53
48.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 8.0
48.00	VITON	2.0 / 3.0 / 4.0
48.00	EPDM	4.0
48.87	EPDM	2.62
48.89	NBR	2.62
49.00	NBR	2.0 / 3.0 / 3.5 / 5.0
49.20	NBR	5.7
49.21	NBR	3.53
49.21	VITON	3.53
49.21	EPDM	3.53
49.50	NBR	3.0
50.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 5.5 / 6.0
50.00	NBR 90 SHORE	4.0
50.00	VITON	1.5 / 2.0 / 3.0 / 4.0 / 5.0
50.00	EPDM	3.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
50.16	NBR	5.33
50.16	NBR 90 SHORE	5.33
50.16	VITON	5.33
50.16	EPDM	5.33
50.39	NBR	3.53
50.39	VITON	3.53
50.47	NBR	2.62
50.47	VITON	2.62
50.47	EPDM	2.62
50.52	NBR	1.78
50.52	VITON	1.78
50.80	NBR	3.53
50.80	NBR 90 SHORE	3.53
51.00	NBR	2.0 / 2.5 / 4.0 / 4.5
51.00	VITON	2.5 / 3.0
51.20	NBR	5.7
52.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
52.00	VITON	2.5 / 4.0
52.07	NBR	2.62
52.07	VITON	2.62
52.20	NBR	5.7
52.39	NBR	3.53
52.39	EPDM	3.53
53.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 7.0
53.00	VITON	2.0 / 2.5 / 4.0
53.34	NBR	5.33
53.34	SILIKON	5.33
53.34	VITON	5.33
53.57	NBR	3.53
53.57	VITON	3.53
53.64	NBR	2.62
53.64	VITON	2.62
53.67	NBR	1.78
53.67	VITON	1.78
53.98	NBR	3.53
54.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 5.5
54.00	EPDM	4.0
54.00	VITON	3.0 / 4.0
54.20	NBR	5.7
54.20	NBR 90 SHORE	3.0
54.50	NBR	3.0
54.50	EPDM	3.0
55.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0
55.00	VITON	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 6.0
55.25	NBR	2.62
55.25	VITON	2.62
55.25	EPDM	2.62
55.56	NBR	3.53
55.56	VITON	3.53
56.00	NBR	2.0 / 3.0 / 4.0
56.00	VITON	3.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
56.51	NBR	5.33
56.51	VITON	5.33
56.74	NBR	3.53
56.75	NBR 90 SHORE	3.53
56.82	NBR	2.62
56.82	VITON	2.62
56.87	NBR	1.78
56.87	VITON	1.78
57.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 6.0
57.00	EPDM	3.0 / 5.0
57.00	VITON	3.0
57.15	NBR	3.53
57.15	VITON	3.53
57.15	EPDM	3.53
57.15	SILIKON	3.53
58.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 5.5
58.00	VITON	2.0 / 2.5 / 3.0 / 3.5 / 5.5
58.00	EPDM	2.5
58.42	NBR	2.62
58.42	VITON	2.62
58.42	EPDM	2.62
58.44	NBR	1.78
58.74	NBR	3.53
58.74	VITON	3.53
59.00	NBR	2.5 / 3.0 / 4.0
59.00	VITON	3.0
59.20	NBR	5.7
59.50	NBR	3.0
59.50	EPDM	3.0
59.69	NBR	5.33
59.69	SILIKON	5.33
59.69	VITON	5.33
59.92	NBR	3.53
59.92	NBR 90 SHORE	3.53
59.92	VITON	3.53
59.92	EPDM	3.53
60.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 2.62 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 5.5 / 6.0 / 7.0 / 8.0
60.00	VITON	2.0 / 2.62 / 3.0 / 5.0 / 6.0
60.00	EPDM	2.62
60.04	NBR	1.78
60.20	NBR	2.0
60.33	NBR	3.53
60.33	VITON	3.53
61.00	NBR	4.5
61.20	NBR	5.7
61.60	NBR	2.62
61.60	VITON	2.62
61.91	NBR	3.53
61.91	SILIKON	3.53
61.91	VITON	3.53

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
62.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 10.0
62.00	VITON	4.0 / 5.0
62.00	EPDM	3.0
62.20	NBR	3.0 / 5.7
62.20	VITON	3.0
62.62	NBR	3.53
62.87	NBR	5.33
63.00	NBR	2.5 / 3.5 / 4.0
63.00	VITON	2.5 / 3.5 / 5.0
63.00	EPDM	4.5
63.09	NBR	3.53
63.09	EPDM	3.53
63.17	NBR	2.62
63.17	VITON	2.62
63.17	EPDM	2.62
63.22	NBR	1.78
63.22	VITON	1.78
63.50	NBR	3.2 / 3.53
63.50	VITON	3.53
64.00	NBR	2.0 / 3.0 / 3.5 / 4.0
64.00	VITON	3.0 / 5.0
64.00	EPDM	3.0
64.20	NBR	5.7
64.77	NBR	2.62
64.77	VITON	2.62
64.77	EPDM	2.62
65.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0 / 8.0
65.00	NBR 90 SHORE	2.0 / 3.5
65.00	VITON	3.0 / 5.0
65.00	EPDM	2.0 / 3.0
65.09	NBR	3.53
65.09	VITON	3.53
65.50	NBR	3.0
66.00	NBR	2.0 / 3.0
66.04	NBR	5.33
66.04	VITON	5.33
66.27	NBR	3.53
66.27	VITON	3.53
66.35	NBR	2.62
66.35	SILIKON	2.62
66.40	NBR	1.78
66.68	NBR	3.53
66.68	VITON	3.53
67.00	NBR	2.5 / 3.0 / 4.0
67.00	VITON	4.0
67.20	NBR	5.7
67.95	NBR	2.62
67.95	VITON	2.62
68.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
68.00	VITON	3.0 / 4.0 / 4.5

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
68.26	NBR	3.53
68.26	NBR 90 SHORE	3.53
68.26	VITON	3.53
68.26	EPDM	3.53
69.00	NBR	3.0
69.00	VITON	4.5
69.20	NBR	5.7
69.20	NBR 90 SHORE	5.7
69.20	VITON	5.7
69.22	NBR	5.33
69.22	VITON	5.33
69.22	NBR 90 SHORE	5.33
69.22	EPDM	5.33
69.40	NBR	2.8
69.44	NBR 90 SHORE	3.53
69.44	VITON	3.53
69.45	NBR	3.53
69.45	EPDM	3.53
69.50	NBR	3.0
69.50	VITON	3.0
69.52	NBR	2.62
69.52	VITON	2.62
69.57	NBR	1.78
70.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 5.5 / 6.0 / 7.0 / 8.0 / 10.0
70.00	VITON	2.0 / 2.5 / 3.0 / 4.0 / 4.5 / 5.0 / 6.0
70.00	EPDM	3.0
71.00	NBR	2.0 / 3.0 / 5.0
71.00	VITON	4.0
71.12	NBR	2.62
71.12	VITON	2.62
71.12	EPDM	2.62
71.20	NBR	5.7
71.44	NBR	3.53
72.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
72.00	NBR 90 SHORE	4.0
72.00	VITON	2.0 / 2.5 / 3.0 / 4.0 / 5.0
72.00	EPDM	4.0 / 5.0
72.39	NBR	5.33
72.62	NBR	3.53
72.62	VITON	3.53
72.69	NBR	2.62
72.69	VITON	2.62
72.75	NBR	1.78
73.00	NBR	1.2 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
73.00	VITON	5.0
73.03	NBR	3.53
73.03	VITON	3.53
74.00	NBR	3.0 / 4.0 / 8.0
74.00	VITON	1.5 / 3.0 / 3.5 / 4.5
74.20	NBR	5.7
74.20	VITON	5.7
74.50	NBR	3.0
74.50	VITON	3.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
74.61	NBR	3.53
74.61	SILIKON	3.53
74.63	NBR	5.33
74.63	EPDM	5.33
75.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 10.0
75.00	VITON	2.5 / 3.0 / 3.5 / 4.0 / 5.0
75.57	NBR	5.33
75.57	VITON	5.33
75.57	EPDM	5.33
75.78	VITON	1.78
75.79	NBR	3.53
75.80	VITON	3.53
75.87	NBR	2.62
75.87	VITON	2.62
75.87	EPDM	2.62
75.92	NBR	1.78
76.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 8.0
76.00	VITON	2.0 / 3.0 / 4.0
77.00	NBR	2.0
77.50	NBR	2.62
77.50	VITON	2.62
78.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0
78.00	VITON	2.0 / 4.3
78.00	EPDM	3.0
78.74	NBR	5.33
78.74	VITON	5.33
78.74	EPDM	5.33
78.97	NBR	3.53
78.97	VITON	3.53
78.97	EPDM	3.53
79.00	NBR	3.0
79.20	NBR	5.7
79.20	NBR 90 SHORE	5.7
79.30	VITON	5.7
79.77	NBR	5.33
80.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 5.5 / 6.0 / 8.0
80.00	NBR 90 SHORE	3.5
80.00	VITON	1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 5.0 / 6.0
80.00	EPDM	2.0
80.60	NBR	2.62
81.00	NBR	2.0 / 3.0 / 7.0
81.20	NBR	5.7
81.91	NBR	5.33
81.91	VITON	5.33
81.92	EPDM	5.33
82.00	NBR	1.5 / 2.0 / 2.5 / 3.0 / 4.0 / 5.0
82.00	VITON	3.0 / 4.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
82.14	NBR	3.53
82.14	NBR 90 SHORE	3.53
82.14	VITON	3.53
82.20	NBR	2.62
82.20	VITON	2.62
82.27	VITON	1.78
83.00	VITON	3.0
84.00	NBR	2.0 / 2.5 / 3.0 / 4.0
84.00	EPDM	3.0
84.20	NBR	5.7
84.50	NBR	3.0
85.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 7.0 / 10.0
85.00	VITON	2.5 / 3.0 / 3.5 / 4.0 / 5.0
85.00	EPDM	2.0 / 3.0
85.09	NBR	5.33
85.09	VITON	5.33
85.09	EPDM	5.33
85.32	NBR	3.53
85.32	SILIKON	3.53
85.32	EPDM	3.53
85.50	NBR	6.0
86.00	NBR	1.7 / 2.0 / 2.5 / 8.0
86.00	VITON	2.5 / 6.0
87.00	NBR	3.0 / 5.0
87.00	VITON	3.0
88.00	NBR	3.0 / 4.0 / 5.0 / 6.0
88.00	VITON	3.0 / 4.0 / 5.0
88.00	EPDM	3.0 / 5.0
88.27	NBR	5.33
88.49	NBR	3.53
88.49	VITON	3.53
88.49	EPDM	3.53
88.57	NBR	2.62
88.57	VITON	2.62
88.57	EPDM	2.62
88.62	NBR	1.78
88.62	EPDM	1.78
89.00	NBR	3.0
89.00	VITON	3.0
89.20	NBR	5.7
89.20	NBR 90 SHORE	5.7
89.27	VITON	1.78
89.69	NBR	5.33
89.69	VITON	5.33
90.00	NBR	1.0 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 4.6 / 5.0 / 5.5 / 6.0 / 7.0 / 10.0
90.00	VITON	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 7.0
90.00	EPDM	2.0
90.00	SILIKON	3.53

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
91.00	NBR	3.5
91.00	VITON	3.0
91.44	NBR	5.33
91.44	VITON	5.33
91.44	EPDM	5.33
91.67	NBR	3.53
91.67	VITON	3.53
91.67	EPDM	3.53
91.70	NBR	1.78
91.70	VITON	1.78
92.00	NBR	3.0 / 4.0 / 4.5 / 5.0
92.00	NBR 90 SHORE	4.0
92.00	VITON	3.0 / 4.0
92.00	EPDM	3.0
93.00	NBR	3.5 / 4.0
93.00	VITON	2.0 / 3.5
94.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 5.0 / 7.0
94.00	VITON	3.5
94.20	NBR	5.7
94.20	VITON	5.7
94.50	VITON	3.0
94.62	NBR	5.33
94.62	EPDM	5.33
94.84	NBR	3.53
94.84	NBR 90 SHORE	3.53
94.84	VITON	3.53
94.84	EPDM	3.53
94.92	VITON	2.62
94.92	EPDM	2.62
94.97	NBR	1.78
95.00	NBR	2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 7.0
95.00	VITON	2.5
95.00	EPDM	3.0 / 4.0
96.00	NBR	2.0 / 2.5 / 3.0 / 4.0 / 6.0
96.00	VITON	2.0 / 4.0
97.20	NBR	5.7
97.79	NBR	5.33
97.79	VITON	5.33
98.00	NBR	1.5 / 2.5 / 3.0 / 4.0 / 5.0
98.00	VITON	3.0
98.02	NBR	1.78 / 3.53
98.02	NBR 90 SHORE	3.53
98.02	VITON	3.53
98.02	EPDM	3.53
99.00	NBR	3.0 / 6.0
99.20	NBR	5.7
99.20	NBR 90 SHORE	5.7
99.20	VITON	5.7

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
100.00	NBR	1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 5.33 / 6.0 / 7.0 / 8.0 / 10.0
100.00	VITON	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0
100.00	EPDM	3.0
100.97	NBR	5.33
100.97	VITON	5.33
101.00	NBR	5.33 / 7.0
101.19	VITON	3.53
101.20	NBR	3.53
101.27	NBR	2.62
101.27	VITON	2.62
101.27	EPDM	2.62
101.32	NBR	1.78
102.00	NBR	2.5 / 3.0 / 4.0 / 5.0 / 6.0
103.00	NBR	2.5 / 3.0
103.00	VITON	6.0
104.00	NBR	7.0
104.00	VITON	3.0
104.14	NBR	5.33
104.14	VITON	5.33
104.20	NBR	5.7
104.37	NBR	3.53
104.37	VITON	3.53
104.37	SILIKON	3.53
104.40	EPDM	3.53
104.50	NBR	2.0 / 3.0
104.50	90 SHORE	3.0
104.50	VITON	3.0
105.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 5.9
105.00	VITON	3.5 / 5.0
105.00	EPDM	2.5 / 3.0
106.00	NBR	2.0 / 3.5 / 5.0
107.00	NBR	2.5
107.20	EPDM	5.33
107.32	NBR	5.33
107.32	VITON	5.33
107.54	NBR	3.53
107.55	VITON	3.53
107.62	NBR	2.62
107.67	NBR	1.78
107.67	VITON	1.78
108.00	NBR	3.0 / 3.5 / 4.0 / 5.0 / 7.0
108.00	VITON	4.0 / 5.0 / 6.0
108.00	EPDM	3.0
109.00	NBR	2.0
109.00	VITON	3.5

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
109.20	NBR	5.7
109.20	VITON	5.7
109.50	NBR	3.0 / 5.33
109.50	EPDM	3.0
109.54	VITON	5.33
109.54	EPDM	5.33
110.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 7.0 / 8.0 / 10.0
110.00	VITON	2.0 / 3.0 / 3.5 / 4.0 / 5.0
110.00	NBR 90 SHORE	5.0
110.00	EPDM	2.0
110.49	NBR	5.33
110.49	VITON	5.33
110.72	NBR	3.53
110.72	VITON	3.53
110.72	EPDM	3.53
112.00	NBR	2.5 / 3.0 / 4.0
112.00	VITON	4.0 / 5.0
113.00	NBR	3.0 / 4.0
113.00	VITON	2.5
113.00	EPDM	2.5
113.66	NBR	5.33
113.67	NBR 90 SHORE	5.33
113.70	NBR	6.99
113.70	VITON	5.33 / 6.99
113.89	NBR	3.53
113.90	VITON	3.53
113.90	EPDM	2.62 / 3.53
113.97	VITON	2.62
113.98	NBR	2.62
114.00	NBR	4.0 / 5.0
114.02	NBR	1.78
114.20	NBR	5.7
114.30	VITON	5.7
114.50	NBR	3.0
114.70	NBR	6.99
115.00	NBR	2.5 / 3.0 / 3.5 / 4.0 / 5.0
115.00	NBR 90 SHORE	4.0
115.00	VITON	3.0 / 4.0 / 5.0
115.00	EPDM	3.0
116.00	NBR	2.0
116.80	NBR	6.99
116.80	VITON	6.99
116.84	VITON	5.33
117.00	NBR	4.0
117.07	NBR	3.53
117.07	VITON	3.53
117.07	EPDM	3.53
117.50	NBR	5.33
118.00	NBR	2.0 / 3.0 / 4.0 / 6.0
118.00	NBR 90 SHORE	4.0
118.00	VITON	3.0 / 4.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
119.20	NBR	5.7
119.30	EPDM	5.7
120.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 8.0 / 10.0 / 12.0
120.00	EPDM	4.0
120.00	VITON	2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.5
120.02	NBR	5.33 / 6.99
120.02	VITON	6.99
120.20	NBR	3.53
120.20	NBR 90 SHORE	3.53
120.24	EPDM	3.53
120.32	NBR	2.62
120.32	EPDM	2.62
120.37	NBR	1.78
120.70	NBR	5.33
120.70	NBR 90 SHORE	5.33
120.70	EPDM	5.33
121.00	NBR	2.0
122.00	NBR	2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
122.00	VITON	3.0
123.00	NBR	3.5
123.20	NBR	6.99
123.20	EPDM	6.99
123.20	VITON	6.99
123.42	NBR	3.53
123.42	VITON	3.53
123.80	VITON	5.33
123.83	NBR	5.33
124.00	NBR	3.0 / 4.0 / 4.5
124.00	VITON	3.0
124.00	EPDM	4.0
124.20	NBR	5.7
124.60	NBR	6.99
124.60	VITON	6.99
125.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 8.0
125.00	VITON	3.0 / 3.5 / 5.0
125.00	EPDM	5.0
126.00	NBR	4.0 / 5.0 / 10.0
126.36	NBR	6.99
126.37	VITON	6.99
126.67	NBR	2.62 / 3.53
126.67	VITON	3.53
126.72	NBR	1.78
126.76	VITON	1.78
127.00	NBR	5.33
127.00	VITON	5.33
128.00	NBR	2.0 / 3.0 / 4.0 / 6.0
128.00	VITON	3.0 / 4.0 / 5.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
129.20	NBR	5.7
129.50	NBR	3.0
129.54	NBR	6.99
129.77	NBR	3.53
129.77	NBR 90 SHORE	3.53
129.77	EPDM	3.53
130.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0 / 6.0 / 8.0 / 10.0
130.00	VITON	2.0 / 4.0 / 5.0 / 6.0
130.00	EPDM	2.0 / 3.0
130.18	NBR	5.33
130.18	VITON	5.33
130.18	EPDM	5.33
130.72	VITON	5.33
131.20	NBR	5.7
132.00	NBR	3.0 / 4.0 / 5.0 / 8.0
132.00	VITON	2.0 / 4.0
132.00	EPDM	2.0
132.72	NBR	6.99
132.72	VITON	5.33
132.90	VITON	3.53
132.94	NBR	3.53
133.00	NBR	2.62 / 5.00
133.04	EPDM	2.62
133.40	NBR	5.33
134.00	NBR	3.0 / 4.0 / 5.0
134.20	NBR	5.7
134.50	NBR	6.99
135.00	NBR	2.5 / 3.0 / 4.0 / 5.0
135.00	VITON	2.5 / 4.0
135.90	NBR	6.99
135.90	VITON	5.33
136.00	NBR	6.0
136.10	NBR 90 SHORE	5.53
136.10	VITON	3.53
136.12	NBR	3.53
137.00	NBR	3.0
138.00	NBR	2.1 / 4.0 / 4.5 / 6.0
138.00	NBR 90 SHORE	4.0
138.00	VITON	2.0 / 4.0
139.00	NBR	3.0
139.30	NBR	3.53 / 5.7
139.35	EPDM	3.53
139.37	NBR	2.62
139.37	VITON	2.62
139.70	NBR	5.33
139.70	VITON	5.33

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
140.00	NBR	1.5 / 2.0 / 3.0 / 4.0 / 5.0 / 7.0 / 8.0
140.00	VITON	3.0 / 4.0 / 5.0 / 6.0
140.00	EPDM	3.0 / 5.0
142.00	NBR	3.0 / 4.0
142.00	VITON	4.0
142.24	NBR	5.33 / 6.99
142.24	VITON	5.33
142.47	NBR	3.53
142.47	NBR 90 SHORE	3.53
142.47	SILIKON	3.53
142.47	VITON	3.53
142.50	EPDM	3.53
143.50	VITON	2.0 VULKANISIERT
144.00	NBR	3.0 / 4.0 / 5.0
144.00	VITON	3.5
144.20	NBR	5.7
144.50	NBR	3.0
144.50	VITON	3.0
145.00	NBR	2.5 / 3.0 / 3.5 / 5.0 / 7.0 / 10.0
145.00	VITON	2.5 / 6.0
145.42	NBR	6.99
145.60	VITON	3.53
145.64	EPDM	3.53
145.65	NBR	3.53
145.70	EPDM	2.62
145.72	NBR	2.62
145.72	VITON	2.62
146.00	NBR	3.0 / 8.0
146.00	VITON	3.0
146.05	NBR	5.33
146.50	NBR	4.0
147.00	VITON	6.99
148.00	NBR	6.0
148.35	EPDM	3.53
148.59	NBR	6.99
148.82	NBR	3.53
148.82	VITON	3.53
148.82	EPDM	3.53
149.20	NBR	5.7
149.20	VITON	5.7
150.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0 / 10.0
150.00	VITON	2.0 / 3.0 / 3.5 / 4.0 / 5.0
150.00	EPDM	2.0 / 3.0 / 4.0
151.76	NBR	5.33
151.76	VITON	5.33
151.77	NBR	6.99
151.77	EPDM	6.99

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
151.90	VITON	3.53
151.99	NBR	3.53
151.99	EPDM	3.53
152.00	NBR	4.0
152.00	VITON	3.0
152.07	NBR	2.62
152.50	NBR	2.5
152.50	VITON	2.5
153.00	NBR	6.0
154.00	NBR	3.0
154.00	EPDM	3.0
154.30	NBR	5.7
154.50	VITON	3.0
155.00	NBR	3.0 / 4.0 / 5.0
155.00	VITON	4.0
155.00	EPDM	4.5 / 5.0
155.60	NBR	6.99
156.00	NBR	2.0 / 2.5 / 6.0
158.00	NBR	3.0 / 3.5
158.12	NBR	5.33
158.12	VITON	5.33
158.12	EPDM	5.33
158.30	VITON	3.53
158.34	NBR	3.53
158.42	NBR	2.62
158.43	VITON	2.62
159.20	NBR	5.7
159.20	VITON	5.7
159.50	NBR	3.0
160.00	NBR	2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 5.0 / 7.0 / 10.0
160.00	VITON	3.0 / 4.0 / 5.0
160.00	EPDM	3.5 / 4.0
160.00	SILIKON	4.0
162.00	VITON	5.0
164.10	NBR	8.4
164.20	NBR	5.7
164.20	VITON	5.7
164.46	NBR	6.99
164.47	NBR	5.33
164.47	VITON	6.99
164.50	NBR	2.0 / 3.0
164.69	NBR	3.53
164.69	EPDM	3.53
164.70	VITON	3.53
164.77	NBR	2.62
164.77	VITON	2.62
164.77	EPDM	2.62

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
165.00	NBR	2.0 / 3.0 / 4.0 / 5.0 / 6.0
165.00	VITON	2.0 / 4.0 / 5.0 / 6.0
165.00	EPDM	4.0
166.00	VITON	6.0
166.70	NBR	6.99
168.00	VITON	3.0 / 3.53
169.20	NBR	5.7
170.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 5.0
170.00	EPDM	2.0 / 4.0
170.82	NBR	5.33 / 6.99
171.04	NBR	3.53
171.04	EPDM	3.53
171.05	VITON	3.53
171.13	NBR	2.62
172.00	NBR	4.0
172.00	VITON	4.5
174.00	NBR	3.0
174.00	VITON	3.0 / 5.33
174.00	EPDM	3.5
174.20	NBR	5.7
174.50	90 SHORE	3.0
175.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 5.0
175.00	VITON	3.5 / 5.0 / 6.0
175.00	EPDM	3.0
177.00	NBR	4.0
177.17	NBR	5.33 / 6.99
177.17	VITON	5.33
177.40	NBR	3.53
177.40	EPDM	2.62 / 3.53
177.47	NBR	2.62
177.47	VITON	2.62
179.00	NBR	3.0
179.20	NBR	5.7
179.30	EPDM	5.7
180.00	NBR	1.5 / 2.0 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0
180.00	VITON	3.0 / 4.0 / 5.0 / 6.0
180.00	EPDM	3.0 / 4.0
181.00	NBR	6.99
181.00	VITON	6.99
181.00	EPDM	6.99
182.00	NBR	3.5

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
183.53	NBR	6.99
183.70	VITON	3.53
183.74	NBR	3.53
183.75	EPDM	3.53
183.83	NBR	2.62
183.83	VITON	2.62
183.83	EPDM	2.62
184.30	NBR	5.7
185.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 5.0 / 8.0
185.00	VITON	3.0 / 3.5
186.00	NBR	7.0
186.00	EPDM	7.0
187.00	VITON	3.5
187.30	NBR	2.62 / 6.99
187.30	NBR 90 SHORE	6.99
187.30	VITON	6.99
188.00	NBR	2.0
189.20	NBR	5.7
189.50	NBR	3.0
189.70	VITON	5.33
189.86	NBR	6.99
190.00	NBR	3.0 / 4.0 / 5.0 / 6.0 / 7.0 / 8.0
190.00	VITON	5.0 / 8.0
190.00	EPDM	2.0 / 3.0 / 4.0 / 5.0
190.10	NBR	3.53 / 7.0
190.10	EPDM	3.53
190.10	VITON	3.53
190.18	NBR	2.62
192.00	NBR	4.0
193.00	NBR	6.0
193.70	NBR	6.99
194.00	NBR	2.0 / 3.0 / 5.0
194.10	NBR	8.4
194.20	NBR	5.7
194.20	VITON	5.7
194.50	VITON	3.0
195.00	NBR	4.0 / 5.0 / 10.0
195.00	VITON	3.0 / 5.0
196.20	NBR	6.99
196.22	NBR	5.33
196.22	VITON	5.33

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
196.40	VITON	3.53
196.44	NBR	3.53
196.53	NBR	2.62
199.20	NBR	5.7
199.20	NBR 90 SHORE	5.7
199.20	VITON	5.7
199.30	NBR	3.0
200.00	NBR	2.0 / 3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0 / 10.0
200.00	VITON	3.0 / 3.5 / 4.5 / 5.0
200.00	EPDM	2.0 / 3.5
202.57	NBR	6.99
202.57	EPDM	6.99
202.79	NBR	3.53
202.79	VITON	3.53
202.79	EPDM	3.53
202.87	NBR	2.62
202.87	VITON	2.62
202.87	EPDM	2.62
203.00	NBR	3.0
203.00	EPDM	3.0
204.00	NBR	3.0
204.00	VITON	5.0
204.20	NBR	5.7
205.00	NBR	3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 8.0
205.00	VITON	3.0 / 4.0
205.00	EPDM	3.0
208.00	NBR	4.0
208.92	NBR	6.99 / 5.33
208.92	VITON	5.33 / 6.99
208.92	EPDM	5.33
209.14	NBR	3.53
209.14	NBR 90 SHORE	3.53
209.14	VITON	3.53
209.14	EPDM	3.53
209.20	NBR	5.7
209.20	VITON	5.7
209.20	EPDM	5.7
209.22	NBR	2.62
210.00	NBR	2.0 / 3.0 / 4.0 / 5.0 / 6.0
210.00	VITON	3.0 / 5.0 / 8.0
212.00	NBR	4.0
214.00	NBR	4.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
215.00	NBR	3.0 / 3.5 / 5.0
215.00	VITON	3.0
215.27	NBR	5.33 / 6.99
215.27	VITON	5.33
215.30	EPDM	6.99
215.49	NBR	3.53
215.58	NBR	2.62
216.00	NBR	4.0
216.00	VITON	4.0
218.00	NBR	3.0
218.00	VITON	6.0
219.20	NBR	5.7
219.20	VITON	5.7
220.00	NBR	3.0 / 3.5 / 5.0 / 8.0
220.00	VITON	5.0
221.62	NBR	6.99
221.62	VITON	5.33
221.84	NBR	3.53
221.84	VITON	3.53
221.84	EPDM	3.53
224.00	NBR	3.0 / 3.8 / 6.0
225.00	NBR	3.0 / 4.0 / 5.0
226.00	EPDM	6.99
227.90	EPDM	6.99
227.97	NBR	5.33 / 6.99
227.97	EPDM	5.33
228.00	NBR	3.0 /
228.19	VITON	3.53
228.19	EPDM	3.53
228.20	NBR	3.53
228.28	NBR	2.62
229.20	NBR	5.7
229.3	EPDM	5.7
230.00	NBR	2.0 / 3.5 / 5.0 / 6.0 / 10.0
230.00	VITON	5.0
233.00	NBR	3.0
234.32	NBR	6.99
234.32	VITON	6.99
234.54	NBR	3.53
234.54	VITON	3.53
234.62	NBR	2.62
235.00	NBR	3.0 / 4.0 / 5.0 / 5.33

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
235.00	VITON	3.0
238.00	NBR	5.0
239.20	VITON	5.7
239.30	NBR	5.7
240.00	NBR	3.0 / 4.0 / 5.0 / 6.0 / 8.0
240.00	VITON	4.0 / 5.0
240.67	NBR	6.99
240.67	VITON	6.99
240.89	NBR	3.53
240.89	NBR 90 SHORE	3.53
240.89	EPDM	3.53
242.00	SILIKON	6.0
245.00	NBR	3.0 / 5.0
245.00	EPDM	5.0
247.00	NBR	6.99
247.24	NBR	3.53
247.24	EPDM	3.53
247.33	NBR	2.62
247.33	VITON	2.62
247.33	EPDM	2.62
248.00	NBR	5.0
249.00	NBR	8.4
249.30	NBR	5.7
249.30	EPDM	5.7
250.00	NBR	3.0 / 3.5 / 4.0 / 6.0 / 10.0
250.00	VITON	4.0 / 5.0
252.00	VITON	4.0
253.37	NBR	6.99
253.37	EPDM	5.33
253.37	VITON	6.99
253.40	VITON	5.33
253.59	NBR	3.53
255.00	NBR	4.0 / 5.0
259.20	NBR	5.7
260.00	NBR	3.0 / 3.5 / 4.0 / 5.0 / 6.0 / 7.0
262.00	NBR	4.0
262.00	VITON	4.0
265.00	NBR	3.0 / 4.0 / 5.0
266.07	NBR	6.99
266.07	EPDM	5.33

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
266.07	VITON	5.33
266.29	NBR	3.53
266.29	VITON	3.53
269.20	NBR	5.7
270.00	NBR	2.5 / 3.0 / 4.0 / 5.0 / 6.0
270.00	VITON	2.5 / 5.0 / 6.0
272.40	NBR	6.99
272.40	NBR 90 SHORE	6.99
274.00	NBR	3.0
275.00	NBR	3.0 / 3.5 / 4.0 / 5.0
278.00	VITON	3.0 / 8.0
278.77	NBR	5.33 / 6.99
278.77	VITON	5.33 / 6.99
279.00	VITON	3.53
279.20	NBR	5.7
280.00	NBR	3.0 / 5.0 / 8.0 / 10.0
280.00	VITON	4.0 / 5.0 / 6.0
280.00	EPDM	5.0
284.20	VITON	5.7
285.00	NBR	6.0
285.00	NBR	4.0
285.00	VITON	5.0
285.10	NBR	6.99
289.20	NBR	5.7
289.30	EPDM	5.7
290.00	NBR	3.0 / 3.5 / 5.0
290.00	VITON	5.0
291.47	VITON	5.33
291.69	VITON	3.53
295.00	NBR	3.0
295.00	VITON	5.0
297.00	NBR	4.0
297.80	NBR	6.99
298.00	NBR	2.5
299.20	NBR	5.7
300.00	NBR	3.0 / 4.0 / 5.0 / 6.0 / 8.0
300.00	VITON	3.5 / 4.0 / 10.0

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
302.00	NBR	4.0 / 5.0
304.10	NBR	6.99
304.17	VITON	5.33
304.39	NBR	3.53
304.39	VITON	3.53
305.00	NBR	4.0
308.00	NBR	5.0
310.00	NBR	3.0 / 4.0 / 5.0
310.00	VITON	5.0
312.00	NBR	4.0
315.00	NBR	4.0 / 5.0 / 10.0
316.87	NBR	6.99
316.87	VITON	6.99
319.20	NBR	5.7
319.30	EPDM	5.7
320.00	NBR	3.0 / 6.5 / 7.0
320.00	VITON	3.0 / 4.0
324.00	EPDM	5.33
325.00	NBR	3.0 / 5.0
325.00	VITON	5.33
325.00	EPDM	5.0
329.57	NBR	5.33 / 6.99
329.57	VITON	6.99
330.00	NBR	3.5 / 4.0 / 8.0 / 10.0
335.00	VITON	5.0
335.80	NBR	6.99
339.20	NBR	5.7
339.20	EPDM	5.7
340.00	NBR	4.0 / 5.0 / 6.0 / 7.0 / 10.0
342.27	NBR	6.99
345.00	NBR	4.0
345.00	VITON	4.0
349.20	NBR	5.7
349.20	EPDM	5.7
350.00	NBR	3.0 / 5.0
354.90	NBR	7.0
354.90	NBR 90 SHORE	7.0
354.90	VITON	6.99

<u>Innen-Ø</u>	<u>Material</u>	<u>Schnurdicke in mm</u>
355.00	VITON	5.0
355.19	NBR	3.53
355.19	VITON	3.53
359.20	NBR	5.7
360.00	NBR	3.5 / 4.0 / 5.0 / 6.0 / 7.0 / 7.5
365.00	VITON	6.0
367.67	NBR	6.99
373.00	NBR	7.0
375.00	NBR	7.0
380.00	NBR	8.0
380.37	NBR	6.99
380.59	NBR	3.53
385.00	NBR	3.0 / 4.0 / 5.0
388.00	NBR	8.0
390.00	NBR	4.0 / 5.0
393.07	NBR	6.99
393.07	VITON	6.99
399.20	NBR	5.7
399.20	VITON	5.7
400.00	NBR	4.0 / 6.0
400.00	VITON	4.0
405.26	VITON	6.99
405.30	NBR	7.0
410.00	NBR	10.0
415.00	NBR	5.0
422.20	NBR	6.99
425.00	NBR	8.0
430.66	NBR	5.33
440.00	NBR	2.0 / 4.0
445.00	NBR	5.0
450.00	NBR	3.0 / 4.0
456.06	NBR	6.99
456.06	NBR 90 SHORE	6.99
460.00	NBR	5.0
470.00	NBR	5.0
479.30	NBR	5.7
494.16	EPDM	6.99
506.06	NBR	6.99
520.00	VITON	7.0
570.00	NBR	4.0
670.00	NBR	6.0
730.00	NBR	6.0